
# **Sumavision OTT/IPTV Solution Introduction**

As the world's leading video delivery solutions provider, Sumavision can provide a total end-to-end OTT/IPTV solution including OTT platform, CDN, transcoding service and IP STB for customers. And in each part, Sumavision can provide an excellent product to meet all the demands from customer's operation services.

### **OTT/IPTV Platform**



Sumavision OTT/IPTV platform, named Omni-Media Cloud (OMC), is a latest generation convergent platform, which can realize video source and watching mode diversification, personalized recommendation and content sharing, extreme user experience, etc.







Phone Portal

## **Features**

Live Broadcast VOD Catch-up


Time Shift Multi screen Interactive Program Recommendation

Content Sharing Mobile Remote Control Voice Control

Social TV DRM Advertisement Online Payment

## CDN

Sumavision CDN adopts a hierarchical structure, which is divided into a three-layer structure of central storage layer, caching layer and edge streaming layer. Among them, the central storage layer is responsible for the storage of media files, the caching layer is responsible for caching popular programs, and the edge streaming layer is responsible for providing streaming services of various protocols for the customers.




#### **Features**

- ✓ Multi-bitrate injection: support multiple bitrates convergent injection
- ✓ Efficient caching technology: LRU+ARC+FIFO
- ✓ Multi-service scenario: VOD, IPTV, OTT
- ✓ Convergent streaming: support RTSP (UDP/TCP), HLS, MPEG DASH, TS/FLV/MP4 over HTTP and other streaming media transmission protocols
- ✓ Hierarchical deployment: support system smooth expansion
- ✓ Support QoS guarantee technology
- ✓ UHD experience: support 4K/H.265 service

## Transcoding system

Sumavision transcoding system gives users full package of tools to produce their videos as they want and deliver to any terminals that subscribers have, including video format and resolution transcoding, logo insertion, subtitle insertion, packaging and streaming.



## **Features**

- √ Ideally for transcoding and streaming of video services
- ✓ Support UDP-TS, HTTP-TS, HTTP-FLV, RTMP, HLS, HDS, MPEG DASH, RTSP, etc.
- ✓ Dynamic processing and parallel creation of multiple format TV assets
- √ 1+1 redundancy with seamless live switching
- ✓ Support Ad-insertion, Logo insertion, Sub-title insertion
- ✓ Built-in origin server for direct CDN interface

## **IP STB**



Sumavision IP STBs are all based on the latest version of android system, and the user interface is very friendly, which provides excellent using experience to customers. The appearance and configuration can be changed according to personalized requirements.

Items	Details
Operation System	Android 9.0
Language	Chinese, EnglishMulti-Language support
Chipset	Quad Core ARM Cortex A53 2GHz 18400DMIPS
GPU	OpenGL ES2.0 and 1.1, OpenVG 1.1 Penta-core ARM

SDRAM         DDR4 1/2GB           Flash         8GB Nand Flash or Emmc           Storage Extension         Support MicroSD(TF), Up to 32GB           Network         2.4/5.8GHZ WiFi 802.11 b/g/n/ac, LAN 10/100M Base-T MIMO           Bluetooth         Support BT4.5 Module           HDMI Out         1xHDMI, HDMI1.4B 4k           MINI CVBS         1xMINI CVBS           SPDIF         1xSPDIF           USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i           Image Decoder         JPEG, BMP, GIF, PNG, TIF		
Flash         8GB Nand Flash or Emmc           Storage Extension         Support MicroSD(TF), Up to 32GB           Network         2.4/5.8GHZ WiFi 802.11 b/g/n/ac, LAN 10/100M Base-T MIMO           Bluetooth         Support BT4.5 Module           HDMI Out         1xHDMI, HDMI1.4B 4k           MINI CVBS         1xMINI CVBS           SPDIF         1xSPDIF           USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i		Mali-450 GPU up to 750MHz
Storage Extension         Support MicroSD(TF), Up to 32GB           Network         2.4/5.8GHZ WiFi 802.11 b/g/n/ac, LAN 10/100M Base-T MIMO           Bluetooth         Support BT4.5 Module           HDMI Out         1xHDMI, HDMI1.4B 4k           MINI CVBS         1xMINI CVBS           SPDIF         1xSPDIF           USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	SDRAM	DDR4 1/2GB
Network         2.4/5.8GHZ WiFi 802.11 b/g/n/ac, LAN 10/100M Base-T MIMO           Bluetooth         Support BT4.5 Module           HDMI Out         1xHDMI, HDMI1.4B 4k           MINI CVBS         1xMINI CVBS           SPDIF         1xSPDIF           USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	Flash	8GB Nand Flash or Emmc
MIMO	Storage Extension	Support MicroSD(TF), Up to 32GB
Bluetooth   Support BT4.5 Module	Network	2.4/5.8GHZ WiFi 802.11 b/g/n/ac, LAN 10/100M Base-T
HDMI Out         1xHDMI, HDMI1.4B 4k           MINI CVBS         1xMINI CVBS           SPDIF         1xSPDIF           USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i		MIMO
MINI CVBS         1xMINI CVBS           SPDIF         1xSPDIF           USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	Bluetooth	Support BT4.5 Module
SPDIF         1xSPDIF           USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	HDMI Out	1xHDMI, HDMI1.4B 4k
USB Port         2xUSB2.0/3.0           Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	MINI CVBS	1xMINI CVBS
Card Reader         1xMicro SD card (TF card) reader           Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	SPDIF	1xSPDIF
Network         1xRJ45 LAN Port           Audio Container         Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.           Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	USB Port	2xUSB2.0/3.0
Audio Container  Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, Dolby Digital, 3GPP, etc.  Video Decoder  MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.  Resolution  4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	Card Reader	1xMicro SD card (TF card) reader
FLAC, Dolby Digital, 3GPP, etc.  Video Decoder MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.  Resolution 4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	Network	1xRJ45 LAN Port
Video Decoder         MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264, H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.           Resolution         4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	Audio Container	Support MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE,
H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID, etc.  Resolution 4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i		FLAC, Dolby Digital, 3GPP, etc.
etc.  Resolution 4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i	Video Decoder	MPEG-1, MPEG-2, MPEG-4, MPEG, H.263, H.264,
Resolution 4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/720p/576p/576i/480p/480i		H.265, AVS+, AVS, MVC, VC-1, RV8/9/10, DIVX, XVID,
720p/576p/576i/480p/480i		etc.
	Resolution	4K*2Kp30/1080p60/1080p30/1080p24/1080i60/1080i50/
Image Decoder JPEG, BMP, GIF, PNG, TIF		720p/576p/576i/480p/480i
	Image Decoder	JPEG, BMP, GIF, PNG, TIF